·		
	Application No.	Applicant(s)
	10/583,518	MURAOKA ET AL.
Notice of Allowability	Examiner	Art Unit
	Jason Lappas	2827
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>11/26/2007</u> .		
2. The allowed claim(s) is/are 1-7 and 9-11.		
3. ☑ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☑ All b) ☐ Some* c) ☐ None of the:		
1.  Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
attached Examiner's confinent regarding REGOINEMENT FOR THE BEI GOT OF BIOLOGICAL WATERWAY.		
	•	
Attachment(s)		N. A. A. B. etc.
1. Notice of References Cited (PTO-892)	5. Notice of Informal F	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7.   Examiner's Amenda	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit	8. 🛭 Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	Mas
	· ·	HUAN HOANG PRIMARY EXAMINED

10/583,518 Art Unit: 2827

## **DETAILED ACTION**

## Response to Amendment

Applicant's amendment dated 11/26/2007 in which claims 1-7, 9-11 were amended, and claim 8 was cancelled has been entered of record. Currently, claims 1-7, 9-11 are pending in light of the amendment.

## Allowable Subject Matter

The following is an examiner's statement of reasons for allowance: Claims 1-7, 9-11 are allowable.

The prior art is silent with respect to (b) uniquely determining a relationship between the polarity of the electric pulse to be applied between the first and second electrodes and the increase/decrease of the resistance value of the variable-resistance material, according to the polarity of the electric pulse applied in the step (a); and (c) changing the resistance value of the variable-resistance material to a desired value by selecting the first polarity or a second polarity where the potential of the first electrode is lower than that of the second electrode, according to the relationship determined in the step (b), and applying an electric pulse having the selected polarity between the first and second electrodes to increase/decrease the resistance value of the variable-resistance material, in combination with other limitations.

Application/Control Number:

10/583,518 Art Unit: 2827

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason Lappas whose telephone number is (571 )270-1272. The examiner can normally be reached on M-F 7:30AM-5:00PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Amir Zarabian can be reached on (571) 272-1852. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/583,518

Art Unit: 2827

Page 4

/JL/

HUAN HOANG

THEARY EXAMINED